

COREXIT<sup>™</sup> EC9500A

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Other means of identification Recommended use	:	COREXIT™ EC9500A Not applicable. OIL SPILL DISPERSANT
Restrictions on use	:	Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.
Company	:	COREXIT Environmental Solutions LLC 11177 S. Stadium Drive Sugar Land, Texas 77478 USA TEL: +1 (832) 851-5164
Emergency telephone number	:	(800) 424-9300 (24 Hours) CHEMTREC
Issuing date	:	08/30/2019

#### Section: 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable liquids Acute toxicity (Inhalation) Eye irritation	<ul> <li>Category 4</li> <li>Category 4</li> <li>Category 2A</li> </ul>
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: Combustible liquid Causes serious eye irritation. Harmful if inhaled.
Precautionary Statements	<ul> <li>Prevention:         Keep away from heat/sparks/open flames/hot surfaces No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.     </li> <li>Response:         IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.     </li> <li>Storage:         Store in a well-ventilated place. Keep cool.     </li> </ul>
Other hazards	: None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture Chemical Name	CAS-No.	Concentration: (%)
Distillates, petroleum, hydrotreated light Organic sulfonic acid salt	64742-47-8 Proprietary	10 - 30 10 - 30
Propylene Glycol	57-55-6	1 - 5

Section: 4. FIRST AID MEASURES		
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
In case of skin contact	:	Wash off with soap and plenty of water. Get medical attention if symptoms occur.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention.
Protection of first-aiders	:	In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Foam Carbon dioxide Dry powder Other extinguishing agent suitable for Class B fires For large fires, use water spray or fog, thoroughly drenching the burning material.
Unsuitable extinguishing media	:	None known.
Specific hazards during firefighting	:	Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Sulphur oxides metal oxides
Special protective equipment for firefighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

## Section: 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid contact with skin and eyes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only with adequate ventilation.
Conditions for safe storage	:	Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
Suitable material	:	The following compatibility data is suggested based on similar product data and/or industry experience: Stainless Steel 304, Stainless Steel 316L, Aluminum, Hastelloy C-276, MDPE (medium density polyethylene), HDPE (high density polyethylene), PVC, Plexiglass, Perfluoroelastomer, PTFE, TFE, FEP (encapsulated)
Unsuitable material	:	The following compatibility data is suggested based on similar product data and/or industry experience: Mild steel, Carbon steel, Buna-N, Brass, Copper, Natural rubber, Polyethylene, Polypropylene, Ethylene propylene, EPDM, Neoprene, Nitrile, Polyurethane, Fluoroelastomer, Chlorosulfonated polyethylene rubber, Polytetrafluoroethylene/polypropylene copolymer

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Distillates, petroleum, hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z1
		TWA (Mist)	5 mg/m3	NIOSH REL
		STEL (Mist)	10 mg/m3	NIOSH REL
Propylene Glycol	57-55-6	TWA	10 mg/m3	AIHA WEEL

## COREXIT™ EC9500A

Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipm	ent	t
Eye protection	:	Safety goggles Face-shield
Hand protection	:	Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Wear suitable protective clothing.
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid
Colour	:	amber
Odour	:	hydrocarbon-like
Flash point	:	83 °C, Method: ASTM D 93, Pensky-Martens closed cup, Does not sustain combustion.
рН	:	6.2,(100 %)
Odour Threshold	:	no data available
Melting point/freezing point	:	POUR POINT: < -57 °C, ASTM D-97
Initial boiling point and boiling range	:	147 °C, (760 mm Hg), Method: ASTM D 86
Evaporation rate	:	no data available
Flammability (solid, gas)	:	no data available
Upper explosion limit	:	Not applicable.
Lower explosion limit	:	Not applicable.
Vapour pressure	:	15.5 mm Hg, (37.8 °C), ASTM D 323,
Relative vapour density	:	no data available
Relative density	:	0.95, (15.6 °C), ASTM D-1298
Density	:	7.91 lb/gal
Water solubility	:	Miscible
Solubility in other solvents	:	no data available
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	no data available

Thermal decomposition	: no data available
Viscosity, dynamic	: 212.3 mPa.s (0 °C)
	79.5 mPa.s (20 °C)
Viscosity, kinematic	: 177 mm2/s (0 °C)
	70 mm2/s (15.6 °C)
	22.5 mm2/s (40 °C)
Molecular weight	: no data available
VOC	: no data available

#### Section: 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks.
		Avoid extremes of temperature.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Sulphur oxides metal oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

#### **Potential Health Effects**

Eyes	:	Causes serious eye irritation.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Harmful if inhaled.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human exposure		
Eye contact	:	Redness, Pain, Irritation
Skin contact	:	No symptoms known or expected.

## COREXIT™ EC9500A

Ingestion	:	No symptoms known or expected.
Inhalation	:	No information available.
Toxicity		
<u>Product</u>		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Test substance: Product
		LD50 rat: > 5,000 mg/kg Test substance: Distillates, petroleum, hydrotreated light
		LD50 rat: > 38,000 mg/kg Test substance: Oxyalkylated Fatty Acid Derivative
		LD50 rat: > 36,400 mg/kg Test substance: Oxyalkylate Polymer
		LD50 rat: 4,620 mg/kg Test substance: Organic Sulfonic Acid Salt
		LD50 mouse: 2,160 mg/kg Test substance: Glycol Ether
		LD50 rat: > 16,000 mg/kg Test substance: Polyol ester
		LD50 rat: 4,000 mg/kg Test substance: Glycol Ether
Acute inhalation toxicity	:	LC50 rat: > 5.35 mg/l Exposure time: 4 hrs Test atmosphere: dust/mist Test substance: Product
		LC50 rat: 42.1 mg/l Exposure time: 4 hrs Test substance: Glycol Ether
		LC50 rat: 20 mg/l Exposure time: 4 hrs Test substance: Organic Sulfonic Acid Salt
		LC50 rat: > 290 mg/l Exposure time: 4 hrs Test substance: Distillates, petroleum, hydrotreated light
Acute dermal toxicity	:	LD50 rabbit: > 5,000 mg/kg Test substance: Product
		LD50 rabbit: > 3,160 mg/kg Test substance: Distillates, petroleum, hydrotreated light
		LD50 rat: > 2,000 mg/kg Test substance: Glycol Ether
		LD50 rabbit: 10,000 mg/kg Test substance: Organic Sulfonic Acid Salt
Skin corrosion/irritation	:	Species: rabbit

## COREXIT™ EC9500A

		Result: Mild skin irritation Test substance: Product
Serious eye damage/eye irritation	:	Species: rabbit Result: Eye irritation Test substance: Product
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	no data available
Reproductive effects	:	no data available
Germ cell mutagenicity	:	no data available
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	no data available

## Section: 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Environmental Effects Product	:	This product has no known ecotoxicological effects.
Toxicity to fish	:	LC50 Inland Silverside: 25.2 mg/l Exposure time: 96 hrs Test substance: Product
		LC50 Common Mummichog: 140 mg/l Exposure time: 96 hrs Test substance: Product
		LC50 Turbot: 75 mg/l Exposure time: 96 hrs Test substance: Product
Toxicity to daphnia and other aquatic invertebrates	:	LC50 Acartia tonsa: 34 mg/l Exposure time: 48 hrs Test substance: Product
		LC50 Artemia: 20.7 mg/l Exposure time: 48 hrs Test substance: Product
		LC50 Mysidopsis bahia (opossum shrimp): 32.23 mg/l Exposure time: 48 hrs Test substance: Product
		LC50 Acartia tonsa: 2 mg/l Exposure time: 48 hrs Test substance: Product
Components		

#### Components

COREXIT™ EC9500A	
Toxicity to algae	: Organic sulfonic acid salt EC50 Desmodesmus subspicatus (green algae): 82.5 mg/l Exposure time: 72 h
	Propylene Glycol EC50 : 19,000 mg/l Exposure time: 96 h
Components	
Toxicity to bacteria	<ul> <li>Distillates, petroleum, hydrotreated light</li> <li>&gt; 1,000 mg/l</li> </ul>
	Propylene Glycol > 20,000 mg/l
Components	
Toxicity to fish (Chronic toxicity)	: Propylene Glycol Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d
Components	

Toxicity to daphnia and other	: Propylene Glycol
aquatic invertebrates	NOEC: 13,020 mg/l
(Chronic toxicity)	Exposure time: 7 d

#### Persistence and degradability

The organic portion of this preparation is expected to be readily biodegradable.

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5	%
Water	: 10	- 30%
Soil	: 50	- 70%

The portion in water is expected to be soluble or dispersible.

#### **Bioaccumulative potential**

Based on a review of the individual components, utilizing U.S. EPA models, this material is not expected to bioaccumulate. The product is readily eliminated.

#### Other information

no data available

### COREXIT<sup>™</sup> EC9500A

#### Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.			
Disposal methods :	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.		
Disposal considerations :	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.		

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)	
Proper shipping name	: PRODUCT IS NOT REGULATED DURING TRANSPORTATION
Air transport (IATA)	
Proper shipping name	: PRODUCT IS NOT REGULATED DURING TRANSPORTATION
Sea transport (IMDG/IMO)	
Proper shipping name	: PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Section: 15. REGULATORY INFORMATION

TSCA list : Not relevant

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

### COREXIT™ EC9500A

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **INTERNATIONAL CHEMICAL CONTROL LAWS :**

#### **United States TSCA Inventory**

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

#### Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

#### Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).


#### **China Inventory of Existing Chemical Substances**

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### **Taiwan Chemical Substance Inventory**

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

#### Section: 16. OTHER INFORMATION



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.